

C

ROBERTS RESIDENCE

SET ISSUED	DATE



\*NOT FOR CONSTRUCTION



POST OFFICE BOX 1294  
CRESTED BUTTE, CO. 81224  
(970) 349 - 0806

**CONTENTS:**

Sheet Number	Sheet Name
C	Cover
A1	SITE PLAN
A2	PROPOSED FLOOR PLAN
A3	PROPOSED ELEVATIONS
A4	PROPOSED SECTIONS
A5	EXTERIOR PERSPECTIVE
A6	STREETSCAPE
A7	EXISTING SITE PLAN
A8	EXISTING FLOOR PLAN
A9	EXISTING ELEVATION
A10	EXISTING SECTIONS

**PROJECT LOCATION:****RENDERING:****PROJECT TEAM:**

OWNER: MICHAEL ROBERTS

ARCHITECT: ANDREW HADLEY ARCHITECT  
P.O. BOX 1294, CRESTED BUTTE, CO 81224  
T: (970) 349-0806

ENGINEER: KRAMER AND BROWN

CONTRACTOR: CONTRACTOR

**AREA CALCULATIONS:****EXISTING:**

LIVING = 1,043 SQFT  
GARAGE = 259 SQFT  
TOTAL = 1,302 SQFT

**PROPOSED**

1ST FLOOR LIVING = 1,057 SQFT  
2ND FLOOR LIVING = 778.5 SQFT  
GARAGE = 252 SQFT  
COVERED ENTRY = 12 SQFT  
TOTAL = 2099.5 SQFT

\* MAX FAR FOR THE LOT IS .4 + 100 GARAGE BONUS = 2,100 SQFT

**GENERAL NOTES:**

- ALL WORK TO BE PERFORMED IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL CODES. SECURE ALL REQUIRED PERMITS AND APPROVALS PRIOR TO THE COMMENCEMENT OF CONSTRUCTION.  
ALL CODE REFERENCES HEREIN REFER TO THE FOLLOWING.  
2021 INTERNATIONAL RESIDENTIAL CODE (IRC)  
2021 INTERNATIONAL ENERGY CONSERVATION CODE (IECC)  
2020 NATIONAL ELECTRICAL CODE (NEC)  
2021 INTERNATIONAL FIRE CODE (IFC)  
2018 INTERNATIONAL PLUMBING CODE (IPC)  
2015 INTERNATIONAL MECHANICAL CODE (IMC)  
2018 INTERNATIONAL FUEL GAS CODE (IFGC)
- THE GENERAL CONTRACTOR SHALL FIELD VERIFY AND COORDINATE ALL UTILITY CONNECTIONS, THEIR ROUTING, METER LOCATIONS AND OTHER ASSOCIATED ITEMS.
- UNLESS OTHERWISE NOTED, PROVIDE POSITIVE DRAINAGE AWAY FROM THE FOUNDATION. GRADE SHALL FALL A MINIMUM OF 6" WITHIN THE FIRST 6' AWAY FROM THE FOUNDATION.
- PRIOR TO CONSTRUCTION VERIFY IF A WHOLE HOUSE SPRINKLER SYSTEM IS REQUIRED.
- REVIEW SOILS REPORT PRIOR TO CONSTRUCTION AND FOLLOW ALL RECOMMENDATIONS. CONTACT SOILS ENGINEER FOR QUESTIONS.
- REFER ALL STRUCTURAL QUESTIONS TO (VERIFY STRUCTURAL ENGINEER).
- ALL WINDOWS TO BE DOUBLE PANE WITH A MAXIMUM U-FACTOR OF 0.32.
- ALL FRENCH DRAINS TO DRAIN TO DAYLIGHT UNLESS NOTED OTHERWISE.
- REFER TO TYPICAL WALL SECTION FOR ALL R-VALUES. ALSO REFER TO IECC FOR ANY ADDITIONAL U-VALUES OR DETAILS.
- CONTINUOUS HANDRAILS SHALL BE INSTALLED AT ALL STAIRWAYS WITH 4 OR MORE RISERS. HANDRAIL HEIGHT SHALL BE A MINIMUM 34" TO A MAXIMUM OF 38" ABOVE STAIR TREAD. HANDRAIL SHALL TERMINATE INTO A WALL OR POST.
- INSTALL A WHOLE HOUSE HEAT RECOVERY VENTILATION (HRV) SYSTEM.
- A PASSIVE RADON MITIGATION SYSTEM IS REQUIRED AND SHALL MEET APPENDIX F OF THE IRC. THE LOCATION OF A FUTURE RADON EXHAUST FAN MUST BE PROVIDED WITH AN ELECTRICAL OUTLET AND SPACE TO MAINTAIN OR REPLACE THE FAN IF REQUIRED. THE RADON EXHAUST FAN IS ONLY REQUIRED IF A TEST SHOWS ABOVE APPROVED EPA LEVELS.
- ALL GAS FIRE BOILERS, FURNACES, WATER HEATERS AND FIREPLACES MUST BE SEALED COMBUSTION, DIRECT VENT TYPE APPLIANCES OR AN APPLIANCE OTHERWISE APPROVED BY THE BUILDING OFFICIAL.
- EACH BATHROOM INCLUDING HALF BATHROOMS NEED TO HAVE A BATH FAN EXHAUSTED TO THE EXTERIOR OF THE BUILDING.
- ALL APPLIANCES MUST BE HIGH EFFICIENCY, DIRECT VENTED APPLIANCES.
- ALL GAS FIREPLACES SHALL BE EPA APPROVED FOR EMISSIONS. VERIFY ALL DIMENSIONS REQUIRED FROM FIREPLACE EXHAUST.
- 75% OF ALL LIGHT FIXTURES SHALL HAVE HIGH EFFICIENCY LAMPING PROVIDED AT THE TIME THE CERTIFICATE OF OCCUPANCY IS ISSUED.
- ALL ELECTRICAL OUTLETS, LIGHT FIXTURES, SWITCHES, ETC. SHALL COMPLY WITH ADOPTED CODE, NEC AND AS AMENDED BY THE LOCAL CITY CODES.
- BUILDER AND OWNER ARE TO PERFORM A WALK-THRU PRIOR TO ELECTRICAL ROUGH IN TO VERIFY ALL SWITCH, LIGHT, OUTLET AND FIXTURE LOCATIONS.
- ALL ELECTRICAL OUTLET AND SWITCHES ON EXTERIOR WALLS SHALL HAVE FOAM GASKETS INSTALLED BEHIND THE OUTLET.
- A GFCI PROTECTED OUTLET MUST BE PROVIDED IN ALL BATHROOMS ADJACENT TO EACH BASIN LOCATION.
- SMOKE ALARMS SHALL RECEIVE THEIR PRIMARY POWER FROM THE BUILDING WIRING, AND WHEN PRIMARY POWER IS INTERRUPTED, SHALL RECEIVE POWER FROM A BATTERY BACKUP.
- ALL RECESSED LIGHTING INSTALLED WITHIN AN INSULATED CEILING SHALL BE AIR TIGHT AND IC RATED.
- LIGHT FIXTURES IN CLOTHES CLOSETS MUST COMPLY WITH ALL APPLICABLE ELECTRICAL CODES.
- OUTLETS IN THE FOLLOWING LOCATIONS ARE TO HAVE GFI PROTECTION: BATHROOMS, GARAGES, LAUNDRY ROOMS OUTDOORS, CRAWL SPACES, UNFINISHED BASEMENTS, KITCHENS, WET BAR SINKS AND ROOFTOPS.
- ALL APPLIANCES OTHER THAN RANGES SHALL BE ENERGY STAR RATED.
- A BLOWER DOOR TEST SHOWING A MAXIMUM AIR EXCHANGE RATE OF 2.5 PER HOUR SHALL BE PERFORMED ON THE BUILDING PRIOR TO OCCUPANCY.
- ALL HOT & COLD INTERIOR AND EXTERIOR WATER PIPES SHALL BE INSULATED TO R-3.
- ALL CRAWL SPACES SHALL BE MECHANICALLY VENTILATED.
- VENTING FOR RANGES OR COOKTOPS SHALL EXHAUST 400 CFM OR LESS OR MAKE UP AIR WILL BE PROVIDED TO ROOM PER IRC SECTION M1503.4.
- ALL PENETRATIONS THROUGH THE MECHANICAL ROOM WALLS AND CEILING MUST BE FIRE CAULKED.
- LOCAL AUTHORITIES SHALL APPROVE ALL METER LOCATIONS.
- OBTAINT APPROVAL FROM LOCAL FIRE AUTHORITIES FOR DRIVEWAY ACCESS, FIRE STAGING AREA AND STANDPIPE DESIGN PRIOR TO CONSTRUCTION.
- ALL DUCTS SHALL BE SEALED IN ACCORDANCE WITH THE 2015IRC
- A GENERAL INTEREST IN PROVIDING FINISH MATERIALS WITH LOW OR NO VOC'S SHOULD BE UNDERTAKEN THROUGHOUT THE COURSE OF THE PROJECT. CONTACT ARCHITECT WITH ANY QUESTIONS.
- VERIFY ALL KITCHEN, BATHROOM DESIGN, AND INTERIOR FINISHES WITH INTERIOR DESIGNER.

# A1

# ROBERT'S RESIDENCE

SET ISSUED	DATE
DD	
DRB	
PERMIT	
CD	

NOT FOR CONSTRUCTION



POST OFFICE BOX 1294  
CRESTED BUTTE, CO.  
31224  
(970) 349 - 0806

—  
**D**  
—

1

—  
B

1

(

**PROPOSED ATTACHED GARAG**

## PROPOSED 2NDD STORY ADDITION

PERVIOUS P

## EXISTING ASPHALT PARKING

# PROPOSED SITE PLAN

$$1/4" = 1'-0"$$

— 1 —

— 2 —

---

1

1

1

1

# A2

# ROBERTS RESIDENCE

**PROPOSED FLOOR PLAN**

---

**1.29.2026**

---

**CALE: 1/4" = 1'-0"**

---

**DRAWN BY: ROB LINDSEY**

---


**PROJECT ADDRESS:**

7TH ST  
RESTED BUTTE CO 81224


SET ISSUED	DATE
DD	
DRB	
PERMIT	
CD	

NOT FOR CONSTRUCTION

The logo for Andrew Hadley Architect is a large, bold, black graphic. At the top is a stylized monogram 'AH' where the 'A' and 'H' are joined together. Below the monogram, the words 'ANDREW HADLEY ARCHITECT' are written in a bold, sans-serif font. Underneath the firm's name, the address 'POST OFFICE BOX 1294' is followed by 'CRESTED BUTTE, CO.' on the next line. The phone number '31224' is on the line below that, and the final line shows the phone number '970) 349 - 0806'.



# 1ST LEVEL



## 2ND LEVEL

A3

## ROBERTS RESIDENCE

PROPOSED ELEVATIONS  
1.29.2026  
SCALE: 1/4" = 1'-0"  
DRAWN BY: ROB LINDSEY  
PROJECT ADDRESS:  
57TH ST  
CRESTED BUTTE CO 81224


SET ISSUED	DATE
DD	
DRB	
PERMIT	
CD	

NOT FOR CONSTRUCTION


AH  
ANDREW HADLEY ARCHITECT  
POST OFFICE BOX 1294  
CRESTED BUTTE, CO.  
81224  
(970) 349 - 0806



1 North  
1/4" = 1'-0"



2 East  
1/4" = 1'-0"



3 West  
1/4" = 1'-0"



4 South  
1/4" = 1'-0"

A4

## ROBERTS RESIDENCE

PROPOSED SECTIONS  
1.29.2026  
SCALE:  $1/4" = 1'-0"$   
DRAWN BY: Author  
PROJECT ADDRESS:  
5 TH ST  
CRESTED BUTTE CO 81224

SET ISSUED DATE  
DD  
DRB  
PERMIT  
CD

NOT FOR CONSTRUCTION

ANDREW HADLEY ARCHITECT  
POST OFFICE BOX 1294  
CRESTED BUTTE, CO.  
81224  
(970) 349 - 0806



**A5**



EXTERIOR PERSPECTIVE

1.29.2026

SCALE:

DRAWN BY: Author

PROJECT ADDRESS:

57TH ST  
CRESTED BUTTE CO 81224**ROBERTS RESIDENCE**NORTH EAST  
PERSPECTIVENORTH WEST  
PERSPECTIVESOUTH EAST  
PERSPECTIVESOUTH WEST  
PERSPECTIVE

SET ISSUED	DATE
DD	
DRB	
PERMIT	
CD	

NOT FOR CONSTRUCTION

ANDREW HADLEY ARCHITECT  
POST OFFICE BOX 1294  
CRESTED BUTTE, CO.  
81224  
(970) 349 - 0806

**A6****ROBERTS RESIDENCE**

STREETSCAPE

1.29.2026

SCALE:

DRAWN BY: Author

PROJECT ADDRESS:

57TH ST  
CRESTED BUTTE CO 81224**1** PROPOSED STREETSCAPE 7TH STREET LOOKING WEST**2** EXISTING STREETSCAPE 7TH STREET LOOKING WEST

SET ISSUED	DATE
DD	
DRB	
PERMIT	
CD	

NOT FOR CONSTRUCTION

ANDREW HADLEY ARCHITECT  
POST OFFICE BOX 1294  
CRESTED BUTTE, CO.  
81224  
(970) 349 - 0806


**A7**

EXISTING SITE PLAN  
5/28/2025  
SCALE: 1/4" = 1'-0"  
DRAWN BY: RL  
PROJECT ADDRESS:  
57TH ST  
CRESTED BUTTE CO 81224

**ROBERTS ADDITION**

SET ISSUED	DATE
DD	
DRB	
PERMIT	
CD	

NOT FOR CONSTRUCTION



**A8**

EXISTING FLOOR PLAN

5/28/2025

SCALE: 1/4" = 1'-0"


DRAWN BY: ROB LINDSEY

PROJECT ADDRESS:

57TH ST  
CRESTED BUTTE CO 81224**ROBERTS ADDITION**

SET ISSUED	DATE
DD	
DRB	
PERMIT	
CD	

NOT FOR CONSTRUCTION

ANDREW HADLEY ARCHITECT  
POST OFFICE BOX 1294  
CRESTED BUTTE, CO.  
81224  
(970) 349 - 0806

1 Existing floor plan

1/4" = 1'-0"

**A9****ROBERTS ADDITION**

SET ISSUED	DATE
DD	
DRB	
PERMIT	
CD	

NOT FOR CONSTRUCTION



# A10







## ROBERTS ADDITION

EXISTING SECTIONS  
5/28/2025  
SCALE: As indicated  
DRAWN BY: Author  
PROJECT ADDRESS:  
57TH ST  
CRESTED BUTTE CO 81224

SET ISSUED DATE  
DD  
DRB  
PERMIT  
CD

NOT FOR CONSTRUCTION

ANDREW HADLEY ARCHITECT  
POST OFFICE BOX 1294  
CRESTED BUTTE, CO.  
81224  
(970) 349 - 0806



4 GARAGE SECTION  
1/4" = 1'-0"

3 Section 4  
1/4" = 1'-0"