

NOTE: RENDERINGS SHOWN FOR ILLUSTRATIVE PURPOSES ONLY.

PROPERTY ADDRESS

226 SOPRIS AVE CRESTED BUTTE, CO 81224

LEGAL DESCRIPTION

PART OF LOTS 1-5, BLOCK 33, CRESTED BUTTE

APPLICABLE CODES

THE FOLLOWING ARE THE ARCHITECT'S UNDERSTANDING OF THE CURRENTLY ADOPTED CODES OF THE *CITY OF DALLAS, UNIVERSITY PARK, HIGHLAND PARK, ETC.* *OR*

- *GUNNISON COUNTY*, INCLUDING LOCAL AMENDMENTS: 20XX INTERNATIONAL RESIDENTIAL CODE
- 20XX INTERNATIONAL ENERGY CONSERVATION CODE 20XX INTERNATIONAL MECHANICAL CODE
- 20XX INTERNATIONAL PLUMBING CODE
- 20XX NATIONAL ELECTRICAL CODE 20XX INTERNATIONAL FIRE CODE

ZONING RESTRICTIONS

ZONING DISTRICT RESIDENTIAL 1 CORE REQUIRED FRONT YARD SETBACK 20**'**-0" 10'-0" REQUIRED REAR YARD SETBACK

ACCESSORY BUILDING REQUIRED SIDE YARD SETBACK UP TO 11'-6" FOR SLOPED ROOFS, DEPENDENT ON SNOW STORAGE

MAXIMUM ROOF HEIGHT 28'-0" 20'-0" OR HEIGHT OF PRINCIPAL BUILDING ACCESSORY BUILDING

AREA TABULATIONS

REF A2 0.3 FOR SE CALCULATIONS

REF AZ.UJ FUR OF CALCULATIONS					
	AC SPACE	GARAGE	SHED	TOTAL	
FIRST FLOOR	1390		216	1606	
SECOND FLOOR	644			644	
ADDITION	56	435	112		
TOTAL	2086	435	328		
TOTAL LOT AREA = 7812 SF. ALLOWABLE SF (7812 X 0.32) = 2500 SF					

IDIAL LOI AREA = 7812 SF, ALLOWABLE SF $(7812 \times 0.32) = 2500$ SF NEW PROPOSED PRIMARY SF = 2470 SF

INSULATION SCHEDULE - CLIMATE ZONE 7

			ı		
	R10	R15/19	R38	R5+20	R4
SLABS	•				
BASEMENT WALL		•			
CRAWLSPACE WALL		•			
FLOORS			•		
WALLS				•	
CEILING/ROOF					

INSULATION NOTES

- 1. WOOD FRAME WALLS CAN BE R20 W/ R5 CONTINUOUS OR R13 W/ R10 CONTINUOUS
- 2. BASEMENT AND CRAWLSPACE WALLS CAN BE R19 OR R15 CONTINUOUS INSULATION
- 3. DUCT INSULATION TO BE R8 MINIMUM IF LOCATED OUTSIDE OF CONDITIONED SPACE 4. HOT WATER PIPE INSULATION TO BE R3 MINIMUM ON PIPES 3/4" OR LARGER IF
- 5. CONTRACTOR TO PROVIDE WEATHER STRIPPING AND INSULATION TO ACCESS HATCHES
- & DOORS LEADING TO ATTIC AND CRAWLSPACE 6. REFER A5 FOR FENESTRATION REQUIREMENTS

LOCATED OUTSIDE OF CONDITIONED SPACE

REVISION LOG

REVISION NO.	REVISION DATE	REVISION NAME
_	00.00.0000	REVISION 00


INDEX OF DRAWINGS

02.28.25	A1.00	COVER SHEET / INDEX
	A1.01	GENERAL NOTES / OUTLINE SPECIFICATIONS
02.28.25	A1.02	SITE PLAN — EXISTING & PROPOSED
02.28.25	A1.03	ROOF PLAN - EXISTING & PROPOSED
02.28.25	A1.04	SNOW STORAGE PLAN
02.28.25	A2.00	FLOOR PLANS — EXISTING
02.28.25	A2.01	FLOOR PLANS - PROPOSED
02.28.25	A2.03	AREA CALCULATION PLANS
02.28.25	A3.00	EXTERIOR ELEVATIONS — EXISTING
02.28.25	A3.01	EXTERIOR ELEVATIONS — PROPOSED
02.28.25	A3.02	SHED EXTERIOR ELEVATIONS — EXISTING & PROPS
02.28.25	A3.03	EXTERIOR ELEVATIONS — GARAGE
02.28.25	A4.01	BUILDING SECTIONS
02.28.25	A5.01	DOOR & WINDOW TYPES & SCHEDULE
\Box	A6.01	HEAD, SILL & JAMB DETAILS
	A6.02	EXTERIOR DETAILS
	A7.00	INTERIOR ELEVATIONS KEY PLANS
	A7.01	INTERIOR ELEVATIONS
	A8.01	REFLECTED CEILING PLANS
	A9.01	FLOOR FINISH PLANS
02.28.25	D2.01	DEMO PLAN
02.28.25		EXTERIOR RENDERS

	E2.00	ELECTRICAL NOTES & SCHEDULE
	E2.01	FIRST FLOOR LIGHTING & ELECTRICAL PLAN
STRUCTURAL	E2.02	SECOND FLOOR LIGHTING & ELECTRICAL PLA

\$1.01	GENERAL NOTES / FOUNDATION DETAIL
S2.01	FOUNDATION PLAN
S2.02	SECOND FLOOR & ATTIC FRAMING PLA
S2.03	ROOF FRAMING PLANS / DETAILS
S3.01	FRAMING DETAILS

DRAWING ISSUE:



REVISION NUMBER **CLOUDED REVISION**

LIEBL REMODEL

CRESTED BUTTE, COLORADO

OWNER

Denise & Todd Liebl

Email: denise@deniselibel.com Phone: 281.798.6929

ARCHITECT

SHM Architects, PLLC Jim Jose Anna Rhees Sofija Andrew

126 Elk Avenue, Suite 1W Crested Butte, CO 81224

Email: jjose@shmarchitects.com Phone: 970.713.0700

STRUCTURAL ENGINEER

TBD


GENERAL CONTRACTOR

Crested Butte Builders, LLC Johnny Biggers

PO Box 642 Crested Butte, CO 81224

970.349.5990

on other projects or in other locations without the approval of the Architect.



© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025

These documents have been prepared specifically for the Liebl Residence. They are not suitable for use

LIEBL

SHM PROJECT # 24-069


ISSUE DATE FEBRUARY 28, 2025


COVER SHEET INDEX

SITE PLAN NOTES

- 1. ALL EXISTING TREES TO REMAIN
- 2. EXISTING LANDSCAPING AND PATIO TO REMAIN, MODIFY AS REQUIRED. REMOVE PATIO AS NEEDED TO ACCOMMODATE SHED RELOCATION.
- 3. DRIP EMITTERS TO BE INSTALLED AT ALL BEDDING AREAS. DISTURBED AREAS TO BE REPLACED WITH GRASS
- 4. WATER SHALL NOT BE REDIRECTED TO DRAIN ONTO ADJOINING PRIVATE


5. PARKING SPACES AND NEW DRIVEWAY TO BE GRAVEL





© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025

These documents have been prepared specifically for the Liebl Residence. They are not suitable for use on other projects or in other locations without the approval of the Architect.



Elk Avenue, Suite 1W, Crested Butte, Colorado 81224


LIEBL REMODEL
CRESTED BUTTE, COLORADO
Design Development
NOT FOR CONSTRUCTION

ISSUE DATE
FEBRUARY 28, 2025


SITE PLAN - EXISTING & PROPOSED

A1.02


ROOF PLAN NOT	TES
1. ARROWS INDICATE	E DOWNWARD SLOPE OF ROOF
ROOF PLAN LEG	END
	NEW STANDING SEAM METAL
	EXISTING CORRUGATED METAL




© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025









PLAN NORTH O1 ROOF PLAN - EXISTING 1/8"-7-0"

SITIT ARCHITECTS
126 Elk Avenue, Suite 1W, Crested Butte, Colorad

LIEBL REMODEL
CRESTED BUTTE, COLORAD
Design Development
NOT FOR CONSTRUCTION

SHM	PROJECT	#
2	4-069	

24-007

ISSUE DATE
FEBRUARY 28, 2025

ROOF PLAN - EXISTING & PROPOSED

A1.03


ALLOTTED SNOW STORAGE SF = 25% OF DRIVEWAY/PARKING SF



PRIVATE SNOW STORAGE FT²

© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025

These documents have been prepared specifically for the Liebl Residence. They are not suitable for use on other projects or in other locations without the approval of the Architect.



SILLI ARCHITECTS
126 Elk Avenue, Suite 1W, Crested Butte, Colorado 81224

LIEBL REMODEL
CRESTED BUTTE, COLORADO
Design Development
NOT FOR CONSTRUCTION


SHM PROJECT #

24-069

ISSUE DATE FEBRUARY 28, 2025


SNOW STORAGE PLAN


A1.04





01 SNOW STORAGE PLAN
1/8"-1-0"





DEMOLITION NOTES BY NUMBER

- REMOVE EXISTING FRAME CONSTRUCTION AND EXTERIOR FINISH MATERIAL, ADD SHORING AS REQUIRED DURING NEW CONSTRUCTION MATERIAL, ADD SHORING AS REQUIRED DURING NEW CONSTRUCTION IN THIS AREA
- REMOVE EXISTING EXTERIOR FINISH MATERIAL TO FRAMING, STORE ON SITE FOR POSSIBLE REUSE
- REMOVE EXISTING DOOR/WINDOW AND SILL, STORE ON SITE FOR POSSIBLE REUSE, WIDEN OPENING AS REQUIRED

- REMOVE EXISTING WINDOW, SILL, AND WALL BELOW TO FLOOR, STORE ON SITE FOR POSSIBLE REUSE, RESIZE OPENING AS REQUIRED
- REMOVE ALL FINISH FLOOR MATERIALS TO SUB-FLOOR, PREPARE AREA FOR NEW FINISH MATERIAL AS REQUIRED

- REMOVE EXISTING MILLWORK, INCLUDING ANY SHELVES, CABINETS,
- 6. CONTRACTOR TO PROTECT ALL EXPOSED AREAS FROM INCLEMENT

ADJACENT SURFACES UNTOUCHED

GENERAL DEMOLITION NOTES

STARTING WORK

PROPERLY, U.N.O

THE WORK

AFFECTED AREAS

WEATHER DURING THE COURSE OF DEMOLITION AND CONSTRUCTION

1. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS PRIOR TO

2. ALL MATERIALS SCHEDULED FOR DEMOLITION SHALL BE DISPOSED OF

3. CONTRACTOR SHALL PROTECT ALL AREAS INDICATED AS "NO WORK THIS AREA" FROM DUST, DEBRIS, AND DAMAGE FROM THE DURATION OF

4. WHERE REQUIRED, CUTTING AND PATCHING OF EXISTING MATERIALS AND

FINISH SHALL BE WITH IDENTICAL MATERIALS AND FINISHES, BLENDED

TO FLUSH, SMOOTH, AND OTHERWISE INDISTINGUISHABLE FROM


5. CONTRACTOR TO MAINTAIN A CLEAN JOB SITE, AND ALL SUCH MATERIALS REMOVED EACH DAY SHALL BE DISPOSED OF AT THE END OF EACH DAY IN AN APPROVED MANNER. BROOM SWEEP FLOORS IN ALL

- 7. CONTRACTOR TO SHORE AND BRACE ALL STRUCTURE AS REQUIRED DURING DEMOLITION AND CONSTRUCTION
- 8. WHERE BRICK OR STONE VENEER IS TO BE REMOVED, CONTRACTOR TO ALLOW FOR NEW BRICK TO BE TOOTHED IN WITH EXISTING TO REMAIN
- WHERE APPLICABLE 9. CONTRACTOR TO CONSULT WITH ARCHITECT ON REUSE AND RELOCATION
- OF MECHANICAL AND ELECTRICAL EQUIPMENT WHERE NECESSARY
- 10. CONTRACTOR TO REMOVE EXISTING ELECTRICAL FIXTURES AS REQUIRED AND STORE ON SITE FOR POSSIBLE REUSE
- 11. ALL DOORS, DOOR HARDWARE, APPLIANCES AND PLUMBING FIXTURES TO BE STORED IN A SAFE PLACE FOR POSSIBLE REUSE BY OWNER
- 12. ROOF TO BE REPLACED ON EXISTING BUILDING REF. A1.03.02

DEMOLITION	LEGEND




EXISTING CONSTRUCTION TO BE REMOVED



EXISTING CONSTRUCTION TO REMAIN



EXISTING WINDOW TO BE REMOVED, STORE FOR POSSIBLE REUSE



EXISTING DOOR TO BE REMOVED, STORE FOR POSSIBLE REUSE

EXISTING MILLWORK TO BE REMOVED



EXISTING PLUMBING FIXTURE TO BE REMOVED



© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025

the Liebl Residence. They are not suitable for use

approval of the Architect.

on other projects or in other locations without the

THIS DOCUMENT

IS RELEASED FOR THE PURPOSE OF INTERIM REVIEW,

UNDER THE AUTHORITY OF MARK D. HOESTEREY

CO# ...401071 ON 02.28.25 IT IS NOT TO BE USED FOR

CONSTRUCTION, BIDDING,

OR PERMIT PURPOSES /

U

لللا

C

These documents have been prepared specifically for

SHM PROJECT #

24-069

ISSUE DATE FEBRUARY 28, 2025

FIRST DEMOLITION FLOOR PLAN

O1 FIRST FLOOR DEMOLITION PLAN
1/4"- 1-0"

EXISTING CONSTRUCTION

KEY

NOM ROOM NAME & NUMBER

DOOR NUMBER

X WINDOW TYPE

GENERAL NOTES

1. ALL DIMENSIONS TO FACE OF STUD U.N.O.

2. DIMENSIONS NOTED W/ AN ASTERISK (*) ARE TO FINISH MATERIAL

3. REFER A9 SHEETS FOR FINISH MATERIAL ELEVATION CHANGES

4. REFER SHEET A1.01 DIV. 10 FOR SPECIALTIES NOTES


5. REFER SHEET A1.01 DIV. 11 FOR EQUIPMENT NOTES

6. REFER SHEET A1.01 DIV. 13 FOR SPECIAL CONSTRUCTION NOTES


7. REFER SHEET A1.01 DIV. 22 FOR PLUMBING NOTES


8. REFER SHEET A1.01 DIV. 23 FOR HVAC NOTES

9. FOR GARAGE SEPARATION FROM MAIN HOUSE REFER CODE (IBC R309.2)




02 SECOND FLOOR EXISTING PLAN
1/4"- 1-0"





© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025

These documents have been prepared specifically for the Liebl Residence. They are not suitable for use on other projects or in other locations without the approval of the Architect.



SER Avenue, Suite 1W, Crested Butte, Colorado 81224 970.713.0700 · 214.252.3840 Fax · shmarchitects.com

LIEBL REMODEL
CRESTED BUTTE, COLORADC
Design Development
NOT FOR CONSTRUCTION

SHM	PROJECT	#
2	4-069	


ISSUE DATE FEBRUARY 28, 2025

FLOOR PLANS - EXISTING

A2.00

© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025

These documents have been prepared specifically for the Liebl Residence. They are not suitable for use on other projects or in other locations without the approval of the Architect.



SEIK Avenue, Suite 1W, Crested Butte, Colorado 8122

EBL REMODELRESTED BUTTE, COLORADO sign Development

(104A)

SHM	PROJECT	#
2	4-069	

ISSUE DATE
FEBRUARY 28, 2025

FLOOR PLANS - PROPOSED

A2.01

O1FIRST FLOOR PROPOSED PLAN
1/4"- 1-0"

(PROPOSED ADDITION) 18'-0"


EXISTING FLOOR AREA COUNTED AS 1X AREA




PROPOSED FLOOR AREA COUNTED AS 1X AREA

COVERED OUTDOOR SPACE COUNTED AS 1/2X AREA


FLOOR AREA	
TOTAL EXISTING PRIMARY SF EXISTING FIRST FLOOR AREA EXISTING SECOND FLOOR AREA COVERED PORCH (1/2 X AREA)	2,086 SF 1,390 SF 644 SF 52 SF
EXISTING SHED	216 SF
TOTAL PROPOSED SF PROPOSED FIRST FLOOR AREA PROPOSED SHED AREA EXISTING SHED	384 SF 56 SF 112 SF 216 SF
NEW PROPOSED PRIMARY SF	2,470 SF
TOTAL LOT AREA ALLOWABLE SF (7812 X 0.32)	7812 2500 SF
PROPOSED UNHEATED GARAGE	435 SF





04 BASEMENT PROPOSED PLAN 8CALE - 1/8"- 1-0"



03 FIRST FLOOR PROPOSED PLAN
1/8"- 1-0"








02 SECOND FLOOR EXISTING PLAN
1/8"- 1-0"

O1 FIRST FLOOR EXISTING PLAN
SCALE - 1/8"- 1-0"

© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025

These documents have been prepared specifically for the Liebl Residence. They are not suitable for use on other projects or in other locations without the approval of the Architect.



ECTS
Suiddie Wilder Sasoum Surchitects com

126 Elk Avenue, Suite 1W, Crested Butte, Colorado 8

CRESTED BUTTE, COLORADO
Design Development

SHM PROJECT # 24-069


ISSUE DATE FEBRUARY 28, 2025

AREA CALCULATION PLANS

A2.03

02 SOUTH ELEVATION - EXISTING SCALE: 1/8*-7-0*

O1 NORTH ELEVATION - EXISTING





04 EAST ELEVATION - EXISTING SCALE : 1/8"-1"-0"

MAX RIDGE HEIGHT EL.=25'-7" FROM NATURAL GRADE		 MAX RIDGE HEIGHT EL.=25'-7" FROM NATURAL GRADE
EXISTING CORRUGATED METAL ROOF T.O. HIGH PLATE EL.=123'-0"	— · — · — · — · — · — <u>·</u>	T.O. HIGH PLATE EL.=123'-0"
(24'-8" FROM NATURAL GRADE) SECOND LEVEL F.F. EL.=110'-6" T.O. LOW BLATE		(24'-8" FROM NATURAL GRADE) SECOND LEVEL F.F. EL.=110'-6"
T.O. LOW PLATE EL.=109'-6" EXISTING WOOD CORNER TRIM EXISTING 2X6 WOOD TRIM		T.O. LOW PLATE EL.=109'-6"
EXISTING WOOD HORIZONTAL SIDING GROUND LEVEL F.F. EL.=100'-0" BACK HOUSE LEVEL F.F. EL.=99'-7"		GROUND LEVEL F.F. EL.=100'-0" BACK HOUSE LEVEL F.F. EL.=99'-7"

DESIGNATION	MATERIAL	SPECIES/ALLOY	MANUFACTURER/SUPPLIER	TYPE	SIZE (NOMINAL), PATTERN	COLOR	FINISH	JOINT	REMARKS
VD-1A	WOOD	TBD	TO BE SELECTED	PAINTED WOOD HORIZONTAL SIDING	TO MATCH EXISTING MAIN HOUSE		SMOOTH, PAINTED	CLAPBOARDS	TO MATCH EXISTING PRIMARY HOUSE
VD-2A	WOOD	TBD	TO BE SELECTED	PAINTED TRIM	TO MATCH EXISTING MAIN HOUSE		SMOOTH, PAINTED		TO MATCH EXISTING MAIN HOUSE
VD-3A	WOOD	TBD	TO BE SELECTED	2X6 PAINTED FASCIA	TO MATCH EXISTING MAIN HOUSE		PAINTED TO MATCH EXIST.		TO MATCH EXISTING MAIN HOUSE
WD-4A	WOOD	TBD	TO BE SELECTED	2X4 PAINTED CORNER TRIM	TO MATCH EXISTING MAIN HOUSE		PAINTED TO MATCH EXIST.		TO MATCH EXISTING MAIN HOUSE
WD-5A	WOOD	CEDAR	HEWN	VERTICAL CHANNEL LAP SIDING	1X6	FARM FLEET			
VD-6A	WOOD	CEDAR	HEWN	TRIM	1X6	FARM FLEET			
ND-7A	WOOD	CEDAR	HEWN	FASCIA	2X6	FARM FLEET			
WD-8A	WOOD	CEDAR	HEWN	CORNER TRIM	2X4	FARM FLEET			
VD-9A	WOOD	CEDAR	HEWN	BOARD & BATTEN SIDING	1X12 AND 1X2.5	FARM FLEET			
/IT-1A	METAL	STEEL	TO BE SELECTED	BONDERIZED PAINT GRIP STANDING SEAM		N/A			TO MATCH EXISTING SHED
MT-2A	METAL	STEEL	EXISTING	RECLAIMED CORRUGATED METAL SIDING		N/A			REUSED FROM EXISTING MAIN HOUSE ROOF

CHI

© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025 These documents have been prepared specifically for the Liebl Residence. They are not suitable for use on other projects or in other locations without the approval of the Architect.

THIS DOCUMENT IS RELEASED FOR THE PURPOSE OF INTERIM REVIEW, UNDER THE AUTHORITY OF MARK D. HOESTEREY

CO# ...401071 ON 02.28.25 IT IS NOT TO BE USED FOR CONSTRUCTION, BIDDING, OR PERMIT PURPOSES

LIEBL REMODEL
CRESTED BUTTE, COLOR

SHM PROJECT #

24-069

ISSUE DATE

FEBRUARY 28, 2025

EXTERIOR ELEVATIONS -


EXISTING


A3.00


Design Development NOT FOR CONSTRUCT


↓ FLOOR AREA PLANE LIMIT

02 SOUTH ELEVATION - EXISTING EXISTING TRAPEZOIDAL METAL ROOF-T.O. EXISTING PLATE EL.=109'-0" EXISTING VERTICAL WOOD SIDING-EXISTING LEVEL F.F.
EL.=100'-0" O1 NORTH ELEVATION - EXISTING









FLOOR AREA PLANE LIMIT

FLOOR AREA PLANE LIMIT 👃 🔠



© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025 These documents have been prepared specifically for the Liebl Residence. They are not suitable for use on other projects or in other locations without the approval of the Architect.

THIS DOCUMENT

IS RELEASED FOR THE

PURPOSE OF INTERIM REVIEW,
UNDER THE AUTHORITY OF
MARK D. HOESTEREY
CO# ...401071 ON 03.06.25

CONSTRUCTION, BIDDING, OR PERMIT PURPOSES

REFER A3.00 FOR FINISH SCHEDULE

126 Elk Avenue, Suite 1W, Creste 970.713.0700 · 214.252.3840 Fax

<u>N</u>

Design Development NOT FOR CONSTRUCT


REMODEL

LIEBL

SHM PROJECT #

24-069

ISSUE DATE FEBRUARY 28, 2025 SHED EXTERIOR **ELEVATIONS - EXISTING & PROPOSED**



CHI

REMODEL

LIEBL REMO CRESTED BUTTE, (

SHM PROJECT #

24-069

Design Development NOT FOR CONSTRUCT

UNDER THE AUTHORITY OF
MARK D. HOESTEREY CONSTRUCTION, BIDDING, OR PERMIT PURPOSES

© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025 These documents have been prepared specifically for

the Liebl Residence. They are not suitable for use on other projects or in other locations without the approval of the Architect.

THIS DOCUMENT

IS RELEASED FOR THE

PURPOSE OF INTERIM REVIEW,

GENERAL NOTES

LEGEND

2. VERIFY FINAL GRADE WITH LANDSCAPE

COMPLIANCE WITH ASTM C926

COMPLIANCE WITH ASTM C1063

COMPLIANCE WITH ASTM E2112

1. REFER TO STRUCTURAL FOR FOUNDATION AND FRAMING DETAILS

3. REFER TO SCHEDULE ON A3 SHEETS FOR MATERIAL DESIGNATIONS

4. ALL PORTLAND CEMENT-BASED PLASTER, IF APPLICABLE, TO BE APPLIED IN

5. ALL LATHING AND FURRING TO RECEIVE INTERIOR AND EXTERIOR PORTLAND

INSULATION, REF. SCHEDULE ON A1.00


CEMENT-BASED PLASTER, IF APPLICABLE, TO BE INSTALLED IN

6. ALL EXTERIOR WINDOWS, DOORS, AND SKYLIGHTS TO BE INSTALLED IN

BUILDING SECTIONS

ISSUE DATE

FEBRUARY 28, 2025



WINDO	W		SPECIFICATION					DIVIDED L	ITE	COLOR			
MARK	TYPE (+EGRESS)	SIZE (W X H)	MANUFACTURER	MATERIAL	GLASS TYPE	SCREEN	JAMB	PROFILE	SIZE	EXTERIOR	INTERIOR	REMARKS:	MARK
Α	DOUBLE HUNG (+)	5'-4" x 5'-5"	EXISTING									EXISTING TO BE RE-USED	A
В	DOUBLE HUNG	2'-0" x 3'-0"	T.B.D.	WOOD	INSULATED		2"			DARK BRONZE	MATCH EXIST.		В
С	DOUBLE HUNG	2'-6" x 2'-6"	T.B.D.	WOOD	INSULATED		2"			PNTD BRONZE	MATCH EXIST.		С
D	DOUBLE HUNG	2'-0" x 4'-0"	T.B.D.	METAL-CLAD WOOD	INSULATED		2"			DARK BRONZE	MATCH EXIST.		D
E	DOUBLE HUNG	2'-0" x 3'-0"	T.B.D.	METAL-CLAD WOOD	INSULATED		2"			DARK BRONZE	DARK BRONZE		E

	? S	CHEDULE												
DOOR			THICKNESS	SPECIFICATION				DIVIDED L	ITE	COLOR		HARDWARE		
NO. TY	YPE	SIZE (W X H)	(1 3/4"UNO)	MANUFACTURER	MATERIAL	GLASS TYPE	JAMB	PROFILE	SIZE	EXTERIOR	INTERIOR	COLOR	REMARKS:	NO
101 01	1	5'-0" x 7'-0"	2 1/4"		METAL-CLAD WOOD	INSULATED	4 1/2"			MATCH EXIST.	MATCH EXIST.	MATCH EXIST.		101
102 01	1	5'-2" x 7'-0"	2 1/4"		METAL-CLAD WOOD	INSULATED	4 1/2"			MATCH EXIST.	MATCH EXIST.	MATCH EXIST.		102
103 02	2	2'-6" x 7'-0"			WOOD								POCKET	103
104A 03	3	8'-0" x 8'-0"			ALUMINUM								GARAGE	104
104B 04	4	3'-6" x 6'-8"			ALUMINUM								GARAGE	104
104C 05	5	2'-6" x 6'-8"	2 1/4"		METAL-CLAD WOOD	INSULATED								104

<u>TYPE 03</u>

<u>-</u>---

2'-6"

TYPE 02

REF. SCHED.

TYPE 01

MANUFACTURER TO SUBMIT SHOP DRAWINGS TO THE CONTRACTOR FOR APPROVAL PRIOR TO FABRICATION

UNITS MARKED WITH '*' INDICATE DIMENSIONS THAT NEED TO BE VERIFIED BY THE MANUFACTURER

ALL DOORS BETWEEN AC SPACES AND NON-AC SPACES TO BE INSULATED AND WEATHER-STRIPPED

11) DOORS MAY REQUIRE OVER FRAMING TO ALLOW FOR DRYWALL RETURN AND/OR BASEBOARD RETURN AT

2'-6"

TYPE 05

TYPE 04

STEEL DOORS TO HAVE LoE-366 INSULATED GLAZING WITH U VALUE OF .29 AND SHGC OF .25

GLAZING TO HAVE U FACTOR .35 MAX / SHGC .25 MAX PER ENERGY CODE

ALL GARAGE DOORS TO BE INSULATED

JAMBS REFER A6 FOR DETAILS.

WINDOW NOTES:

DOOR AND WINDOW UNITS OF SAME DIMENSION TO ALIGN

ALL VERTICAL DIMENSIONS MEASURED FROM FLOOR FINISH

10) INTERIOR FINISH TO BE COORDINATED WITH INTERIOR DESIGNER

ALL DIMENSIONS PROVIDED ARE TO OUTSIDE OF FRAME, UNLESS NOTED OTHERWISE (U.N.O.)

GLAZING TO HAVE U FACTOR .35 MAX / SHGC NR PER ENERGY CODE

REFERENCE EXTERIOR ELEVATIONS FOR CASEMENT SWING DIRECTION

INTERIOR FINISH TO BE COORDINATED WITH INTERIOR DESIGNER

FIELD VERIFY ALL CORNER UNITS

REFER A6 FOR DETAILS.

ANY HAZARDOUS GLAZING LOCATIONS PER IRC CODE R308.4 SHALL BE TEMPERED


MANUFACTURER TO SUBMIT SHOP DRAWINGS TO THE CONTRACTOR FOR APPROVAL PRIOR TO FABRICATION UNITS MARKED WITH '*' INDICATE DIMENSIONS THAT NEED TO BE VERIFIED BY THE MANUFACTURER STEEL WINDOWS TO HAVE LOE-366 INSULATED GLAZING WITH U VALUE OF .29 AND SHGC OF NR

CASEMENT WINDOWS TO BE SIDE HUNG AND SWINGING OUT WITH INSECT SCREENS FOR ALL OPERATING VENTILATORS

WINDOWS MAY REQUIRE OVER FRAMING TO ALLOW FOR DRYWALL RETURN AND/OR BASEBOARD RETURN AT JAMBS

12) PROVIDE SOFT-CLOSE HARDWARE AT ALL POCKET DOORS

© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025 These documents have been prepared specifically for the Liebl Residence. They are not suitable for use on other projects or in other locations without the approval of the Architect.



CT ARCHITE

REMODEL **LIEBL R** Crested I


Design Development NOT FOR CONSTRUCT

SHM PROJECT #

24-069

ISSUE DATE FEBRUARY 28, 2025

DOOR & WINDOW SCHEDULE & TYPES



ISSUE DATE FEBRUARY 28, 2025

EXTERIOR RENDERS












© STOCKER HOESTEREY MONTENEGRO, PLLC, 2025

These documents have been prepared specifically for the Liebl Residence. They are not suitable for use on other projects or in other locations without the approval of the Architect.



SEIR Avenue, Suite 1W, Crested Butte, Colorado 8122.

EBL REMODEL
RESTED BUTTE, COLORAD

SHM PROJECT # 24-069

ISSUE DATE FEBRUARY 28, 2025

EXTERIOR RENDERS