



## Staff Report

To: BOZAR  
From: Jessie Earley, Town Planner III  
Meeting Date: DRC, March 10, 2025  
RE: Liebl (226 Sopris Avenue), Secondary Review

**PROJECT TITLE:** Liebl (226 Sopris Avenue)

**SUMMARY:** Consideration of the application of **Denise Liebl and Todd Liebl** to site an addition at the existing contributing historic accessory building to be located at 226 Sopris Avenue, the west 75 feet of lots 1 to 5, both inclusive, except the west 12.5 feet thereof, Block 33 in the R1C zone.

**- Architectural approval is required.**

**LEGAL DESCRIPTION:** the west 75 feet of lots 1 to 5, both inclusive, except the west 12.5 feet thereof, Block 33

**ADDRESS:** 226 Sopris Avenue

**ZONE DISTRICT:** R1C

**OWNER:** Denise Liebl and Todd Liebl

**APPLICANT:** Anna Rhees and Jim Jose, SHM Architects

**DRC MEMBERS:** Alvarez Marti and Anderson (1/21/2025); Davol and Staab (2/10/2025); Schmidt and Davol (3/10/2025)

**STAFF MEMBER:** Jessie Earley, Planner III

### **ATTACHMENTS:**

1. Plans
2. Photos
3. DRC notes 1/21/2025 and 2/10/2025
4. GIS Map
5. Materials lists
6. Materials narrative
7. Rehabilitation narrative
8. Letter from adjacent property owner
9. Historic building survey
10. Section 16-4-460 – 16-4-520 (R1C)

These packet materials are available at this [link](#). Staff can provide paper copies of the packet upon request.

### **PROJECT DESCRIPTION**

1. Site an addition to the southeast corner of the existing historic single-family residence. – **Approved at the 2/25/2025 BOZAR**
2. Lift and place the existing historic accessory building on a new foundation. - *Continued from the 2/25/2025 BOZAR*



3. Site an addition to the existing historic accessory building. *Continued from the 2/25/2025 BOZAR*
4. Site a new cold accessory building – **Approved at the 2/25/2025 BOZAR**



## **PUBLIC NOTICE**

This item was properly noticed per Section 16-22-110 (c). The affidavit of posting is on file in the Preservation Department.

- 
- I. **Background/Overview:** Anna Rhees and Jim Jose of SHM Architects submitted an application on behalf of the Liebl's for siting an addition to the existing contributing historic primary building, lifting and shifting the existing accessory building to the north, siting an addition on the existing historic accessory building and siting a new cold accessory building. The two existing buildings are classified as contributing to the National Historic District.



**II. Status:** The applicants met with the DRC at the 1/21 meeting. Notes are attached for more detailed information.

The following revisions have been made to the plans since that meeting:

- 18" metal foundation cover added to the addition on the existing accessory building
- 18" metal foundation cover added to the new accessory building
- Slight variation in color to addition on the existing accessory and new accessory building
- Added to site plan:
  - Walkways/patios
  - Parking substrate
  - Revegetation for disturbed areas
  - Drainage arrows
- Existing and proposed lighting added to plans.
- 3D rendering provided for proposed addition to primary building.
- Window removed from south elevation of new accessory building.
- Elevations updated on new accessory building.
- Details added garage doors.

The applicants met with the DRC at the 2/10 meeting onsite and notes are attached. The following revisions have been made to the plans since that meeting:

- Revised materials board
- Revised materials lists



The Board reviewed the project at the 2/25/2025 BOZAR meeting and approved the application for the addition to the primary building and the new accessory building. The application for the addition to the existing historic accessory building was continued to the March 25, 2025 BOZAR meeting due to concerns regarding fenestration and doors as proposed. The following revisions have been made to the plans since that meeting:

- Windows on the west elevation of the addition to the existing historic accessory building have been reduced from four to three.
- The windows on the west elevation of the addition to the existing historic accessory building have been reduced in size to be square windows.
- The three windows on the south elevation of the addition to the existing historic accessory building have been reduced from three windows to one window.
- The French doors, as proposed on the north elevation of the addition to the existing historic accessory building was revised to a single person door.

**III. Context:** Refer to guidelines 4.25-4.26. The two-story, rectangular frame dwelling with hipped roof with widely overhanging eaves is situated in the historic R1C zone with the R1C zone across the street to the north. Across the alley to the south, the R2C zone is located. The neighborhood contains a mix of small 1 ½ story and two-story homes, many of which are historic with either contributing or non-contributing status. Historically, these areas were primarily residential and still remain this way today.

The Board will need to determine whether the addition will appear congruent or dissimilar with the surrounding neighborhood context per GL 4.26.

GL	Staff Analysis	DRC Recommendation
4.25 Excessive similarity	No conflict.	Support
4.26 Excessive dissimilarity	<p>Discussion is encouraged to determine if the proposed addition is acceptable or if it will appear excessively dissimilar. Staff supports the addition, as proposed.</p> <p><b>Staff encourages discussion about the materials as proposed for the addition to the existing accessory building and the new accessory building, to ensure that they cleave the difference between the existing historic structure and new addition. Staff supports the revision to the materials.</b></p> <p><b>Staff finds that the windows, as proposed for the existing accessory building better meet the GL specific to window to wall ratio on the west.. The applicants have provided a case study of accessory building windows in the surrounding area as justification for their proposed revised drawings.</b></p>	<p>Support</p> <p>1/21 DRC: Members voiced that a small distinction would be good, but it should not be too different, as the nature of the buildings are simplicity. A slight differentiation has been provided.</p> <p>2/10 DRC: Members voiced support for the revised materials details.</p>





--	--	--



**2/10/2025 DRC and 2/25/2025 BOZAR: revised south rendering**



**3/10/2025 DRC: revised south rendering**



### III. Historic Background:

The property contains two contributing historic structures. Both buildings are protected by the National Historic District and the local historic district being the Town of Crested Butte original plat. See the attached historic building survey for more detailed information.

*As built drawings from the application*

**Accessory Building:** This building was built in the 1890's. It is a one story, rectangular (12'x18') frame shed with front gable roof and overhanging eaves. The building has metal roofing. The walls are clad with vertical board siding. On the north are double hinged vertical board doors. The windows have been covered with plywood.

The extent of alterations on this building are:

- Windows were covered with plywood.
- Wall patched with horizontal boards on the east.

This building is representative of the outbuildings erected in Crested Butte. Features include the gable roof, frame construction and vertical board siding.





*South elevation of accessory building from HBS*



*South elevation of accessory building from HBS*





*North elevation of accessory building – existing*

**I. Land Use Code Review:**

**a. Historic Residential Zone (R1C) (Sec. 16-4-460 – 16-4-520)**

<b>Dimensional Limitations</b>	<b>Required by Chapter 16</b>	<b>Proposed</b>	<b>Compliant</b>
Minimum Lot Width:	25'	50'	Yes
Maximum Lot Area:	9375 sf	7812.5 sf	Yes
Minimum Lot Area:	3750 sf	7812.5 sf0	Yes
# Dwellings:		1	Yes
<b>Minimum Setbacks:</b>			
Principal: Front:	20'	4' (existing, no change)	Yes
Principal: Side Yard (West):	Seven and one-half (7½) feet for single-story and flat-roofed buildings, and as much as eleven and one-half (11½) feet for sloped-roofed buildings, dependent upon snow storage guidelines.	11'3" (existing) <b>7'6" (addition to existing AB)</b>	<b>Yes</b>




Principal: Side Yard (East):	Seven and one-half (7½) feet for single-story and flat-roofed buildings, and as much as eleven and one-half (11½) feet for sloped-roofed buildings, dependent upon snow storage guidelines.	24'11" (existing) 32'3" (proposed addition)	Yes
Principal: Rear Yard (South)	10' (Principal)	10'11" (existing AB)	Yes
Accessory Building (existing): Side Yard (West):	Seven and one-half (7½) feet for single-story and flat-roofed buildings, and as much as eleven and one-half (11½) feet for sloped-roofed buildings, dependent upon snow storage guidelines.	14'8" (existing) See above for proposed, due to inclusion with primary.	Yes
Accessory Building (existing): Side Yard (East):	Seven and one-half (7½) feet for single-story and flat-roofed buildings, and as much as eleven and one-half (11½) feet for sloped-roofed buildings, dependent upon snow storage guidelines.	34'4" (existing) See above for proposed, due to inclusion with primary.	Yes
Accessory Building (existing): Rear:	5' (Accessory) 10' (Principal)	6'11" (existing) See above for proposed, due to inclusion with primary.	Yes
Accessory Building (new): Side Yard (West):	Seven and one-half (7½) feet for single-story and flat-roofed buildings, and as much as eleven and one-half (11½) feet for sloped-roofed buildings, dependent upon snow storage guidelines.	<b>10'</b>	<b>Yes</b>
Accessory Building: Side Yard (East):	Seven and one-half (7½) feet for single-story and flat-roofed buildings, and as much as eleven and one-half (11½) feet for sloped-roofed buildings, dependent upon snow storage guidelines.	10'3" (proposed)	Yes
Accessory Building: Rear:	5' (Accessory) 10' (Principal)	<b>5' (proposed)</b>	<b>Yes</b>
Between buildings (wall to wall)	10'	The existing accessory will be shifted 5' to the north and will be closer than 10'. This building will be incorporated into the overall sf for the primary building for the sake of FAR.  12'4" (proposed AB to primary) <b>10' (proposed AB to existing AB)</b>	Yes  Yes <b>Yes</b>




Max FAR – Primary building	0.3-0.32	0.3, (2273 primary +116 AB = 2389/7812.5 sf) - existing 0.318, (2487.2 sf/7812.5 sf)	Yes
Max FAR – All Buildings:	0.48	0.363, 2837.2 sf (2487.2 sf primary and existing AB + <b>350.08</b> sf accessory) - proposed	Yes
Height:	30'	25'3" (principal, existing/proposed) 15'9" (existing accessory, existing) 15'11" (existing accessory, proposed) 14'7" (new accessory, proposed)	Yes
Roof Pitch	Minimum 4:12	6:12 (principal, existing hipped roofs) 12:12 (gabled roofs rear, existing) 12:12 (proposed addition) 7:12 (pitch break on south, existing)  12:12 (existing accessory, existing gable) 4:12 (existing accessory, proposed shed roof pitch break)  8:12 (proposed accessory, gabled roofs)	Yes
Snow Storage	>33%	<b>44.6%</b>	<b>Yes</b>
Parking	2 spaces	2 spaces (1 interior, 1 exterior)	Yes
Open Space	50%	70.1 %	Yes






*Existing Site Plan*



### 2/10 DRC and 2/25 BOZAR: Revised Site Plan



### 3/10 DRC: Revised Site Plan



## II. Design GL Analysis

### **Purpose for the R1C District:**

The purpose of the R1C district is to provide areas for more intensive residential development than allowed in the R1 District, along with customary accessory uses. It is imperative to carefully monitor such development so that it blends into its neighborhood context and the scale and fabric of the Town, paying particular attention to the characteristics, size and scale of existing historic buildings.

### **Design goals for the R1C district include:**

- To encourage appropriate infill and changes to existing structures and preserve the historic residential character of the area.
- To place importance on the appropriate development of the entire property not just individual structures.

### **b. Site planning: Refer to GL: 2.16-2.40, 3.1-3.2.**

GL	Staff Analysis	DRC Recommendation
Topography	Topography is not included, but should be. This information is not anticipated to impact FAR or height requirement.	Add information to the plans
2.8 Drainage	<b>Drainage arrows have been shown and show drainage to the north and south to the alley.</b>	Add information to the plans, which has been provided.
Easements	There area existing easements on the west portion of the lot, which includes a 3' driveway easement and 12' utility easement. There is a letter from the property owner to the east expressing support for the addition.	Support with neighbor support.
2.16 Substantial landscaping	The plan is fairly minimal. Provision of a final landscape plan will be required if there are revisions after permitting.	
2.18/3.1 Preservation of existing mature trees	There are existing trees on the north portion of the lot, which are to remain and will not be impacted by the additions. <b>The applicant has added the existing trees to the lot and no trees will be removed.</b>  <b>At the 2/10 DRC, there was a suggestion to move the lilac by the electric meter on the south side of the home, as it will be required.</b>	Confirm number of trees, which has been provided.
2.19 New trees	There are no new trees noted on the plans.	
2.16 a./ 2.20 Native plantings	<b>Ground cover for disturbed areas has been noted as grass.</b> Native plantings are encouraged by the GL.	Add information to plans, which has been provided.
2.16 e Pervious materials	<b>The existing flagstone patios and walkways are to remain.</b>  <b>Parking has been included on the proposed site plan as gravel.</b>	Add information to plans, which has been provided.
2.28 e & f Parking substrate	<b>Parking spaces are noted on the site plan. Substrate is called out as gravel.</b>	Add information to plans, which has been provided.



(2.37-2.40)/ 16-17-40 Exterior Lighting	<p><b>Existing and proposed lighting has been included. They appear to meet the intents of the requirements.</b></p> <p>If existing fixtures do not meet requirements, they will be required to be upgraded as part of the work to be done.</p>	Add information to plans, which has been provided.
Solar	NA	NA
Utilities	<p>Existing and proposed wet and dry utilities must be noted on the plan.</p> <p>Rights of way (alley and Sopris Avenue) must be shown to scale on the site plans.</p>	Add information to the plans.
2.7 Snow Storage	Snow storage has been depicted on the plan and corresponds to the areas to be plowed.	Support
2.27 Fences	An existing fence is on the south. Confirmation is needed if there will be a new fence proposed.	

- c. **Rehabilitation Plan:** Refer to GL 3.2, 3.5-3.16. A narrative from the applicant has been provided to outline rehabilitation methods for the accessory building. The primary building will only have a small addition. The remainder of the building will remain the same. Certain details below appear to conflict with methods of preservation encouraged in Chapter 3 of the Design Standards and Guidelines. An onsite meeting with the architect, owners, contractor, staff and Board members will be required prior to permitting to discuss the methods of preservation.

Notes from plans indicate:

- The accessory building will be lifted and shifted 15' to the east temporarily.
- Then, a new foundation will be installed 5' to the north of existing accessory location.
- Shift the building to the new foundation with a small addition to the west.
- All existing framing will remain in place and new framing will be added from the interior.
- Vertical board on board siding to remain.
- Existing two windows are proposed for replacement.
- Existing exposed rafter tails to remain.
- Existing corrugated metal roofing (non-historic) to be replaced with rusted standing seam roofing on primary building.
- Existing pro panel roofing (non-historic) on the existing accessory building to remain and be replaced.
- Existing trim details to remain.
- Existing barn style doors on north to remain and be rehabilitated.

GL	Staff Analysis	DRC Recommendation
3.2 Original footprint	The accessory building does not	Support



	currently have a foundation and must be sited on a foundation. The property owners would like to shift the building 5' back to accommodate a parking space. Support.	
3.8 Historic materials	The applicants propose removal of the windows, as described above. All historic windows must remain and be rehabilitated per GL. These windows are unique because they look like windows that were salvaged to put into the openings and don't fit properly. Discussion is encouraged.	Full Board discussion.

d. **Alterations to the historic building:** Refer to GL 3.12, 3.14, 3.22-3.24

As outlined above, there have been some alterations to this historic building.

GL	Staff Analysis	DRC Recommendation
3.22 b	This GL speaks to alterations to historic buildings. The alterations to this accessory building have been very minor.	Support with discussion about windows.

e. **New windows:** Refer to GL 3.22-3.24; 3.49-3.54.





GL	Staff Analysis	DRC Recommendation
3.49 Historic windows	All historic windows must remain and be rehabilitated.	Discuss at site visit.
3.50 Position of historic windows	Windows on the historic portion of the building are to remain in existing openings. These windows are unique because they look like windows that were salvaged to put into the openings and don't fit properly. Discussion is encouraged.	Support

f. **Addition - Mass, scale and form:** Refer to GL 3.17-3.19, 3.36, 5.114

GL	Staff Analysis	DRC Recommendation
3.17 Additions to historic buildings	<b>Accessory:</b> The addition to the accessory building steps down from the main ridge and also from the north and south. A change in material would be encouraged.	Support
3.18 a Stepping down additions	<b>Accessory:</b> The addition on the west steps down 4'3" from the main ridge. Discussion is encouraged to determine if the addition is subordinate.	Support



3.18 b/ 3.36 Connector	This GL suggests a connector. In both the case of the accessory building and primary building Staff does not feel that a connector would be warranted.	Support without the connector.
3.18 c Mass	<p><b>Accessory:</b> The existing AB is 216 sf and the addition is 111 sf, which is smaller in size.</p> <p>Staff feels that the addition does not appear large in comparison with the existing structure and other structures in the surrounding RIC zone district and the proposed plans match scale of the surrounding buildings within the zone.</p>	Support
3.19/ 3.37 Additions as products of their own time	<b>Accessory:</b> The addition to the existing AB is proposed to match. The additions should have siding proposed that should be distinguishable from the existing historic building.	<p>1/21 DRC: Members voiced that a small distinction would be good, but it should not be too different, as the nature of the buildings are simplicity.</p> <p>2/10 DRC: Members voiced support for the revised materials details.</p>
3.21 Traditional entrance pattern	NA	NA







**Plan view -Accessory Building - existing**









REFER A3.00 FOR FINISH SCHEDULE




## Plan view – Accessory Building – proposed OPTION 1 (1/28/2025 BOZAR)

REFER A3.00 FOR FINISH SCHEDULE



## Plan view – Accessory Building – proposed OPTION 2 (1/28/2025 BOZAR)



Plan view – Accessory Building – revised (3/10/2025 DRC)

g. **Design and Style:** Refer to GL 3.19, 3.39, 4.32-4.39.

GL	Staff Analysis	DRC Recommendation
3.39/4.39 Compatibility of addition/Roof forms	<b>Accessory:</b> The existing roof is gabled and this will add a shed roof to the west side, which steps back from the existing building, as seen from the alley on the south and north. Support.	Support
4.32 – 4.34 Forms of additions	Discussion is encouraged as to whether the design of the addition cleaves a relationship with the architectural style of the accessory building and relates with the overall styles within the neighborhood or appears incongruent.	Support

h. **Roof forms:** Refer to guidelines \*3.36, 3.39, 4.41-4.45.

GL	Staff Analysis	DRC Recommendation
3.39/4.45 Roof forms	<b>Accessory:</b> The accessory building has a gable which is 12:12 pitch and the addition proposes a 4:12, which is within the allowed pitches. Support.	Support
4.42 Secondary roofs	GL 4.42 allows for shed roof pitches when secondary, which is as proposed for the accessory building.	Support
4.44 Ridge lines	There will be no change to the existing roof lines.	Support



**i. Windows:** Refer to Guidelines 3.40, 4.53-4.63.

GL	Staff Analysis	DRC Recommendation
3.40 Primary elevation	NA	NA
4.53 Window to wall ratio	<p><b><u>South (accessory):</u></b> There are no existing openings in the south elevation of the AB. Proposed are one single windows for the addition.</p> <p><b><u>North (accessory):</u></b> There is an existing barn door on this elevation which will remain. On the addition, there is a half light person door proposed.</p> <p><b><u>East (accessory):</u></b> There are two existing historic windows on this elevation, which are proposed to be replaced with new wood windows.</p> <p><b><u>West (accessory):</u></b> There are no existing openings and three single windows are proposed. These four openings propose 19.23 sf of opening for 147 sf of wall space, which is 13.1% of window to wall. This better conforms with window to wall ratios, as seen historically.</p> <p>The applicants have provided a case study of accessory building windows in the surrounding area as justification for their proposed revised drawings.</p>	
4.54 Vertical emphasis	<p>Windows are shown as a two over two double hung style window to match existing windows.</p> <p>A window and door schedule has been provided.</p> <p>Casement windows are noted. Per GL 4.54, these windows are reserved on historic buildings for egress only. Non-egress windows should be double hung windows. All windows must provide simulated divided light for new windows.</p>	Support
4.56 Window material	<p>Wood windows are noted on the materials list, color confirmation needed.</p> <p><b><u>Accessory:</u></b> All windows exist as wood in the AB and any new windows must be</p>	Windows must be wood on the existing historic accessory building.




	wood.	
4.57 Fenestration pattern	<b>Accessory:</b> Met.	Support
4.58 Groupings of 2 or more windows	<b>Accessory:</b> There is trim provided between windows on the south and west. These windows cannot be mullled.	Support
4.59 Window and door trim	Trim is proposed as 2"x4". Support.	Support
4.60 Divided lights	Simulated divided lights are required.	Support

WINDOW NOTES:


- 1) ALL DIMENSIONS PROVIDED ARE TO OUTSIDE OF FRAME, UNLESS NOTED OTHERWISE (U.A.D.)
- 2) MANUFACTURER TO SUBMIT SHOP DRAWINGS TO THE CONTRACTOR FOR APPROVAL PRIOR TO FABRICATION
- 3) UNITS MARKED WITH \* INDICATE DIMENSIONS THAT NEED TO BE VERIFIED BY THE MANUFACTURER
- 4) STEEL WINDOWS TO HAVE LAC-306 INSULATED GLAZING WITH U VALUE OF .29 AND SHGC OF .60
- 5) GLAZING TO HAVE U FACTOR .25 MAX / SHGC .60 PER ENERGY CODE
- 6) ANY HAZARDOUS GLAZING LOCATIONS PER IRC CODE R308.4 SHALL BE TEMPERED
- 7) CASSETTE WINDOWS TO BE SIDE HUNG AND SWINGING OUT WITH INSECT SCREENS FOR ALL OPERATING VENTILATORS
- 8) REFER TO EXTERIOR ELEVATIONS FOR CASSETTE HING DIRECTION
- 9) FIELD VERIFY ALL CORNER UNITS
- 10) INTERIOR FINISH TO BE COORDINATED WITH INTERIOR DESIGNER
- 11) WINDOWS MAY REQUIRE OVER FRAMING TO ALLOW FOR DRYWALL RETURN AND/OR BASEBOARD RETURN AT JAMBS REFER AS FOR DETAILS.

WINDOW SCHEDULE													
WINDOW			SPECIFICATION				DIVIDED LITE		COLOR		REMARKS:	MARK	
MARK	TYPE	(+EGRESS) SIZE (W x H)	MANUFACTURER	MATERIAL	GLASS TYPE	SCREEN	JAMB	PROFILE	SIZE	EXTERIOR			INTERIOR
A	DOUBLE HUNG (+)	5'-4" x 5'-5"	EXISTING									EXISTING TO BE RE-USED	
B	DOUBLE HUNG	2'-0" x 3'-0"	T.B.D.	WOOD	INSULATED		2"			DARK BRONZE	MATCH EXIST		
C	DOUBLE HUNG	2'-4" x 2'-0"	T.B.D.	WOOD	INSULATED		2"			PINK BRONZE	MATCH EXIST		
D	DOUBLE HUNG	2'-0" x 4'-0"	T.B.D.	METAL-CLAD WOOD	INSULATED		2"			DARK BRONZE	MATCH EXIST		
E	DOUBLE HUNG	2'-0" x 3'-0"	T.B.D.	METAL-CLAD WOOD	INSULATED		2"			DARK BRONZE	DARK BRONZE		




j. **Doors:** Refer to GL 4.64-4.69.

GL	Staff Analysis	DRC Recommendation
4.64 Primary door	NA	NA
4.65 Primary door	<b>Accessory:</b> The primary barn style door on the north is to remain and be rehabilitated.	Support
4.66/3.58 Secondary doors	The French doors were revised for a single half light door on the north. Support	



**01 NORTH ELEVATION - PROPOSED**  
SCALE: 1/4"=1'-0"

### North – proposed French door (accessory building) – 1/30/2025 BOZAR




**01 NORTH ELEVATION - PROPOSED**  
SCALE: 1/4"=1'-0"

### North – revised person door (accessory building) – 3/10/2025 DRC



- DOOR NOTES:
- 1) MANUFACTURED TO SUBMIT SHOP DRAWINGS TO THE CONTRACTOR FOR APPROVAL PRIOR TO FABRICATION
  - 2) UNITS MARKED WITH "V" INDICATE DIMENSIONS THAT NEED TO BE VERIFIED BY THE MANUFACTURER
  - 3) STEEL DOORS TO HAVE L6E-366 INSULATED GLAZING WITH U VALUE OF .29 AND SHGC OF .25
  - 4) GLAZING TO HAVE U FACTOR .25 MAX / SHGC .25 MAX PER ENERGY CODE
  - 5) ALL DOORS BETWEEN AC SPACES AND NON-AC SPACES TO BE INSULATED AND WEATHER-STRIPPED
  - 6) ALL GARAGE DOORS TO BE INSULATED
  - 7) DOOR AND WINDOW UNITS OF SAME DIMENSION TO ALIGN
  - 8) ALL VERTICAL DIMENSIONS MEASURED FROM FLOOR FINISH
  - 9) INTERIOR FINISH TO BE COORDINATED WITH INTERIOR DESIGNER
  - 10) DOORS MAY REQUIRE OVER FINISHING TO ALLOW FOR CRYNALL RETURN AND/OR BASEBOARD RETURN AT JAMBS REFER AG FOR DETAILS
  - 11) PROVIDE SOFT-CLOSE HARDWARE AT ALL POCKET DOORS

DOOR SCHEDULE														
DOOR		THICKNESS	SPECIFICATION		DIVIDED LITE		COLOR		HARDWARE					
NO.	TYPE	SIZE (W x H)	(1 3/4")	MANUFACTURER	MATERIAL	GLASS TYPE	JAMB	PROFILE	SIZE	EXTERIOR	INTERIOR	COLOR	REMARKS:	NO.
101	01	5'-0" x 7'-0"	2 1/4"		METAL-CLAD WOOD	INSULATED	4 1/2"			MATCH EXIST.	MATCH EXIST.	MATCH EXIST.	MATCH EXIST.	101
102	01	5'-0" x 7'-0"	2 1/4"		METAL-CLAD WOOD	INSULATED	4 1/2"			MATCH EXIST.	MATCH EXIST.	MATCH EXIST.	MATCH EXIST.	102
103	02	2'-4" x 7'-0"			WOOD								POCKET	103
104A	03	8'-0" x 8'-0"			ALUMINUM								GARAGE	104A
104B	04	3'-6" x 6'-8"			ALUMINUM								GARAGE	104B
104C	05	2'-6" x 6'-8"	2 1/4"		METAL-CLAD WOOD	INSULATED							GARAGE	104C



k. **Lighting:** Refer to GL 2.37-2.40.

GL	Staff Analysis	DRC Recommendation
2.37 Exterior lighting	<p><b>Existing and proposed lighting has been included. They appear to meet the intents of the requirements.</b></p> <p>If existing fixtures do not meet requirements, they will be required to be upgraded as part of the work to be done.</p>	Add information to plans, which has been provided.

l. **Materials:** Refer to GL 4.75-4.83.

### Accessory Building:





existing shed



Proposed bonderized paint grip standing seam roofing



existing shed



Proposed bonderized paint grip standing seam



Proposed cedar siding by Hewn in "Farm Fleet" board and batten to shed addition, vertical ship-lap to new garage



Hewn cedar siding in "Farm Fleet" board and batten



Proposed Alley view

**1/21 DRC: south**



**2/10 DRC and 2/25 BOZAR: revised south**

**Roofing is proposed as standing seam, bonderized paint grip.**

**Siding is proposed as vertical hewn cedar board and batten (FarmFleet).**

Foundation cover 18" maximum is proposed as recycled corrugated metal from the primary building for the addition.

Trim, fascia and corner boards are noted to match existing. Sizing and color confirmation is needed.

The garage door (carriage style) existing will be rehabilitated (north). **There is a wood French door proposed on the north elevation with divided lights. The door plan states that this door will be aluminum clad (red), confirmation is needed.**

Full Board discussion is requested regarding the two existing windows. The other proposed windows are noted as wood.

GL	Staff Analysis	DRC Recommendation
3.6	As stated earlier, all historic materials need to remain and be rehabilitated.  The onsite meeting will help to evaluate these materials and also talk through the methods for preservation.	Discuss onsite and with full Board.
4.72 Eaves/overhangs	Met.	Support
4.75 Exterior materials	<b>Accessory:</b> The proposed siding meets the intents of the GL. The revisions help to define the historic and new portion.	1/21 DRC: Members voiced that a small distinction would be good, but it should not be too different, as the nature of the



		buildings are simplicity. A slight differentiation has been provided.  2/10 DRC: Members supported the revised materials for the addition.
4.79 Paint/stain	The siding and trim are painted which is consistent with the GL.	Support
4.81 Mixing materials	A mix of materials is not proposed at this time for either building.	Support
3.61 Roofing materials	The materials proposed are supported by the GL.  <b>Roofing material on both buildings has been replaced in the 1990's (primary) and 1970's (AB). So, new material can be supported on both.</b>  <b>The material was revised from rusted to bondarized, which is more consistent.</b>	Support  2/10 DRC: The materials are no longer historic on the roof of the primary or accessory building and can be supported for replacement.
4.80 a foundation treatment	The proposed 18" of metal is consistent with the GL.	1/21 DRC: Members felt that this proposal helped to show the old versus new construction.

## II. Overall DRC findings:

- Overall support regarding architectural appropriateness, for the addition to the existing accessory building.
- Review and recommendation to the full Board regarding the addition to the existing accessory building regarding mass/scale and form.
- Review and recommendation to the full Board regarding the materials specific to the addition to the existing accessory building.

**DRC Notes:2/10/2025 TUESDAY DRC**  
**Josh Staab and Donny Davol**

1. (Liebl 226 Sopris); SITE VISIT: Jim Jose, Anna Rhees and Todd Liebl were onsite. It was confirmed that the roof on the primary building was replaced during the 1990/2000 remodel. The roofing on the existing accessory building had also been replaced with propanel likely in the 1970's.

Davol mentioned the lilac by the electrical panel would be required to be moved due to it's proximity.

The existing fence will shift to the south

Rhees showed materials samples for the addition to the existing AB and the new AB. The existing AB will have vertical board and batt. The new AB will have vertical ship/channel lapped.

Overall support for primary building. Overall support for addition to existing AB. Overall support for new AB. Full Board discussion regarding fenestration, as proposed for the addition to the existing AB.

# ACCESSORY STRUCTURE

## DESCRIPTION OF MATERIALS TO BE USED

NAME Liebl Residence  
LEGAL West 75 ft. of Lots 1-5 except the West 12.5 ft. of Block 33 ZONE R1C  
ADDRESS 226 Sopris Ave., Crested Butte CO 81224

### TYPE OF STRUCTURE

- ☒ remodel of existing shed  
☒ Accessory Building, heated and/or plumbed  
☐ Accessory Dwelling  
☐ Addition  
☐ Other \_\_\_\_\_
- ☒ new garage  
☒ Accessory Building, cold  
☐ Historic Rehab

### ROOFING TYPE

- ☐ Shake Shingle  
☐ Milled Shingle  
☐ Other \_\_\_\_\_
- ☐ Pro Panel style  
☒ Standing Seam  
*in weathering steel*
- ☐ Galvanized, Corrugated Metal  
☐ S-V Crimp

### EXTERIOR FINISH

#### Siding

- | TYPE   | SIZE   | LOCATION                    | COLOR                                  |
|--|--|-----------------------------|--|
| <input type="checkbox"/> Horizontal          |  |                             |  |
| <input checked="" type="checkbox"/> Vertical | 6"   | shed addition, garage walls | "double espresso" southern yellow pine |
| <input checked="" type="checkbox"/> Other    | Wainscot in recycled corrugated from main house roof (18") |                             |  |
| <input type="checkbox"/> Stucco              |  |                             |  |
| <input checked="" type="checkbox"/> Trim     | to match siding  |                             |  |



☒ Fascia to match siding

☐ Corner Boards

### DOORS

	MATERIAL	STYLE	FINISH
<input checked="" type="checkbox"/> Primary door	garage door -	carriage style,	wood stained to match siding
	studio french doors -	SDL,	wood, painted red to match house door
<input checked="" type="checkbox"/> Secondary door	garage man door -	1/2 lite w/ SDL	to match residence painted red
	small yard garage door -	stained to match siding	

### WINDOWS

#### Type:

- ☐ Casement  
☐ Casement, egress  
☒ Double hung  
☐ Awning  
☐ Fixed  
☐ Slide-by

#### Style:

- ☐ Simulated, divided lite  
☐ True, divided lite (historic)  
☐ Decorative mullions  
☐ Other

#### Material:

- ☒ Wood  
☒ Aluminum clad, wood  
☐ Other

#### Glazing:

- ☐ Low E  
☐ Heat mirror  
☐ Tempered  
☐ Standard  
☐ Other

Describe locations if a mix is used Aluminum clad wood to garage + shed (SDL)  
reuse true divided wood windows from existing south elevation @  
new East elevation of main residence

Other Exterior Features (i.e. railings, chimneys, posts, etc.)

I agree to submit changes from the list above to the building inspector and BOZAR chairman for approval prior to implementation of the change.

SIGNATURE OF OWNER / REPRESENTATIVE


Rina Plus (SHM Architects)

DATE 12-19-24

# Liebl Residence

## Materials Storyboard

02/12/2025



Proposed View from Sopriss Ave.



Liebl Remodel materials list:

Addition to existing house:

- Roof: Corrugated metal to match existing
- Siding: Painted wood clapboards, dimensions and color to match existing
- Trim: Painted wood trim, dimensions and color to match existing
- Foundation coating: painted stucco to match existing

Addition to existing shed:

- Roof: weathering steel standing seam (existing shed roof to also be replaced with same)
- Siding: Vintage woods heat modified southern yellow pine in color 101- Double espresso (to match existing shed)
- 18” wainscot in recycled corrugated from main house roof to addition and also to base of existing shed in new location (to conceal new foundation)
- Trim: to match siding

New garage:

- Roof: weathering steel standing seam
- Siding: Vintage woods heat modified southern yellow pine in color 101- Double espresso (to match existing shed)
- 18” wainscot in recycled corrugated from main house roof
- Trim: to match siding



foundation coating  
in painted stucco to  
match existing



painted wood clapboards  
dimensions and color to  
match existing


painted wood trim,  
dimensions and color to  
match existing house

new standing seam roof-  
ing to all buildings in  
bonderized paint grip





Proposed bonderized paint grip standing seam roofing



existing shed



Proposed bonderized paint grip standing seam



Proposed cedar siding by Hewn in "Farm Fleet" board and batten to shed addition, vertical ship-lap to new garage



Hewn cedar siding in "Farm Fleet" board and batten

shm  
ARCHITECTS



**DRC Notes: 1/21/2025 TUESDAY DRC**  
**Roxana Alvarez Marti and Halley Anderson**

1. (Liebl 226 Sopris); Earley overviewed that Anna Rhees and Jim Jose of SHM Architects submitted plans on behalf of the Liebl's for an addition to the existing contributing SFR at 226 Sopris Avenue within the R1C zone and to lift the existing historic accessory building and shift it to the north 5' to accommodate parking in the rear. Then, there is a proposal for a new cold AB on the east. There are some setbacks that need revisions and the applicant is aware of this. The AB and SFR have always been lumped together due to proximity and shifting the building closer will still have that condition. So, it is an accessory building but it is considered part of the primary building because there is less than 10'. So it doesn't meet the requirement for a heated building. There is a note that snow storage is not provided, but I missed the sheet with this inclusion. So, please disregard. There is an existing easement on the west and the adjacent owner has provided a letter of support for the addition onto the existing AB. Otherwise, zoning requirements have been met. There are a number of items needed to be included on the site plan, as outlined in the staff report. There is support for the addition. However a rendering of the southeast corner before and after would be helpful to ensure that the Board has context of what is proposed. Roof pitches are compliant. There is a proposal to switch the two pack of windows on the south to the east to accommodate a new French door on the south. Windows and doors for the primary building are supported.

The addition to the existing AB appears subordinate and a connector module wouldn't be needed. It steps in from the north and south and also steps down from the ridge. All historic materials must be kept on the existing historic building, including the windows. The new addition proposes materials to match, but it would seem that a change in materials would be more GL compliant to cleave the difference between old and new. There is a large amount of windows on the west that appears to conflict with window to wall GL. The windows/doors on the north and south comply, but do appear cramped within the addition. Discussion is encouraged to determine if this is dissimilar.

The new AB is set to the rear of the site and is simpler than the existing primary building, as the GL as for. The two gable modules mimic two small structures. Windows and doors appear compliant, as well as roof pitches. Again, materials are proposed to match the existing historic structure. GL suggest differing materials for this building to honor the original structure.

Rusted metal roofing has generally not be supported as a treatment in recent years. Naturally aged or reclaimed material is supported.

Lighting must be added to elevations to ensure compliance. Any fixtures that are not in compliance would need to be upgraded as part of this proposal.

Todd and Denise Liebl were present with Anna Rhees and Jim Jose. They referenced the sun room element on the west elevation of the AB. They asked if it was the horizontal or vertical nature or the size. They have provided a 3D model for the primary building southeast corner.

Site Plan: DRC in February will be a site visit. The setbacks have been fixed. Overall support from DRC.

Historic AB: members noted that the amount of fenestration is contemporary. Jose suggested reducing from four to three on the west. Anderson mentioned the GL relating to 2 to 1 ratio.

Siding would be removed from the west to help with replacement of siding in other areas that is in disrepair.

They asked if the material could be different with a finish, for instance with a lighter stain. Members said that the form helps to differentiate. They could support some contrast, but not too much.

New AB: Wood veneer was added to the garage door.

They will update elevations which were labeled incorrectly.

They removed the person door on the north.

They will add lighting.

It was encouraged to differ the material and add the foundation cover which also helps to show differentiation.

They removed the window on the south.

Overall support.

HISTORIC BUILDING INVENTORY RECORD

NOT FOR FIELD USE		
<input type="checkbox"/> Eligible	<input type="checkbox"/> Nominated	
<input type="checkbox"/> Det. Not Eligible	<input type="checkbox"/> Certified Rehab.	
Date		655

PROJECT NAME: Crested Butte Historic Buildings Survey (SHF No. 98-01-113)		COUNTY: Gunnison	CITY: Crested Butte	STATE ID NO.: 5GN3253
ADDRESS: 226 SOPRIS AVE Crested Butte, CO 81224		OWNER: VERZUH MARTIN		
ASSOCIATED BUILDINGS SURVEYED: X Yes No A. Shed		BOX 1 CRESTED BUTTE CO 81224		
BUILDING Current: NAME: Historic: Verzuh Residence		TOWNSHIP 14S RANGE 86W SECTION 3 SW 1/4 NE 1/4		
DISTRICT NAME: Crested Butte		U.S.G.S. QUAD NAME: Crested Butte, Colo YEAR: 1961 X 7.5' 15'		
PHOTOGRAPHER: Sandra Cortner		BLOCK: 33 LOT(S): E 62.5' OF W75' 1-5 ADDITION: Original Town YR. OF ADDITION: 1881		
LOCATION OF NEGATIVES: Town of Crested Butte		PHOTOGRAPHIC REFERENCES: 3-15, S; 3-16, SE; 3-17, SW; 3-18, WNW; 38-22A, S (Roll/Frame and Camera Direction)		
SKETCH MAP: See attached map; resource is indicated with arrow.		DATE OF CONSTRUCTION: Estimate: Actual: 1883 Source: Gunnison County Assessor		
EXTENT OF ALTERATIONS: X Minor Moderate Major Describe: Two-light window on upper story of facade.		USE: Present: Residence Historic: Residence		
CONTINUED Yes X No		CONDITION: Excellent Good X Fair Deteriorating		
STYLE: Vernacular Wood Frame (Foursquare)		MATERIALS: Wood		
ARCHITECTURAL DESCRIPTION: Two-story rectangular frame dwelling with hipped roof with widely overhanging eaves; rear gabled extensions; corrugated metal roofing. Eaves extended on east have braces underneath. Concrete block chimney with clay flue cap on west roof slope. Concrete foundation. Walls clad with beadboard applied horizontally. Upper story front has two square engaged pilasters at corners. Large two-light window on upper story with wood surround with sills which extend beyond jambs. Full-width, shed roof porch with wood shingle roofing; square post supports; horizontal board balustrade; wood deck. Slightly off-center entrance with paneled and glazed door. 2/2-light double-hung sash windows with plain wood surrounds flank door. East side has two 2/2-light windows on each story. West side has two 2/2-light windows on upper story and one large three-light window and single 2/2-light window on lower. Two gabled projections on rear; middle section has brick chimney and shed projection on east with door with two round arched lights on north and band of six-light windows on east.			STORIES: 2	
			SQUARE FOOTAGE:	
			ORIGINAL LOCATION STATUS: ORIGINAL SITE X MOVED DATE(S) OF MOVE:	
			NATIONAL REGISTER ELIGIBILITY INDIVIDUAL: YES X NO CONTRIBUTING TO DISTRICT: X YES NO	
			LOCAL LANDMARK DESIGNATION: No NAME: DATE:	
CONTINUED? YES X NO				
ADDITIONAL PAGES: YES X NO				

ARCHITECT: Unknown	BUILDER/CONTRACTOR: Unknown	STATE ID NO.: 5GN3253		
SOURCE:	SOURCE:	ORIGINAL OWNER: Unknown  SOURCE:		
THEME(S): Coal Mining, 1870-1952				
CONSTRUCTION HISTORY (Description, names, dates, etc., relating to major alterations to the original structure): The rear extensions appear on the 1890 Sanborn map, which also shows a wrap-around porch on the first rear extension on the east wall.				
CONTINUED      YES      X      NO				
HISTORICAL BACKGROUND (DISCUSS IMPORTANT PERSONS AND EVENTS ASSOCIATED WITH THIS STRUCTURE): This home is associated with the Martin Verzuh family. Martin Verzuh came from Austria-Croatia to the United States. He married Frances Spehar in 1897. She was also from Austria-Croatia and came to the U.S. in the late 1890s. Martin Verzuh operated a saloon and opened a general mercantile in Crested Butte in 1905. The 1910 U.S. Census provides the following information about the family: Martin Verzuh, aged 40, proprietor of general store; Fannie, wife, age 31; and children Fannie, Mary, Mike, Rose, Rudolph, Julia, Emma, and Martin. Martin Verzuh, Jr., was educated in Crested Butte schools during 1924-1936. He worked as a post office clerk for many years beginning in 1947, as a clerk at the Martin Verzuh store for 8 years, and as co-manager of the Princess Theater for 12 years. Rudolph Verzuh was educated in Crested Butte. His career included work as a clerk, butcher, and manager of the Martin Verzuh store (1924-1935); postmaster of Crested Butte (1935-1972); owner-operator of the Princess Theater (1940-1950); and real estate agent (1954-1973).				
CONTINUED      YES      X      NO				
SIGNIFICANCE (CHECK APPROPRIATE CATEGORIES AND BRIEFLY JUSTIFY BELOW): <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;">           ARCHITECTURAL SIGNIFICANCE:            REPRESENTS THE WORK OF A MASTER            POSSESSES HIGH ARTISTIC VALUES            X REPRESENTS A TYPE, PERIOD, OR METHOD OF CONSTRUCTION         </td> <td style="width: 50%; vertical-align: top;">           HISTORICAL SIGNIFICANCE:            ASSOCIATED WITH SIGNIFICANT PERSONS            ASSOCIATED WITH SIGNIFICANT EVENTS OR PATTERNS            X CONTRIBUTES TO AN HISTORIC DISTRICT         </td> </tr> </table>			ARCHITECTURAL SIGNIFICANCE: REPRESENTS THE WORK OF A MASTER POSSESSES HIGH ARTISTIC VALUES X REPRESENTS A TYPE, PERIOD, OR METHOD OF CONSTRUCTION	HISTORICAL SIGNIFICANCE: ASSOCIATED WITH SIGNIFICANT PERSONS ASSOCIATED WITH SIGNIFICANT EVENTS OR PATTERNS X CONTRIBUTES TO AN HISTORIC DISTRICT
ARCHITECTURAL SIGNIFICANCE: REPRESENTS THE WORK OF A MASTER POSSESSES HIGH ARTISTIC VALUES X REPRESENTS A TYPE, PERIOD, OR METHOD OF CONSTRUCTION	HISTORICAL SIGNIFICANCE: ASSOCIATED WITH SIGNIFICANT PERSONS ASSOCIATED WITH SIGNIFICANT EVENTS OR PATTERNS X CONTRIBUTES TO AN HISTORIC DISTRICT			
STATEMENT OF SIGNIFICANCE: This house is representative of the dwellings erected in Crested Butte during the late nineteenth century. Notable features include the hipped roof, frame construction, pilasters at the second story, double-hung sash windows, and paneled and glazed doors. The house is associated with the Verzuh family, early residents of Crested Butte and operators of an early mercantile business.				
CONTINUED      YES      X      NO				
REFERENCES (BE SPECIFIC): Gunnison County Assessor records; Sanborn Maps, 1886-1910; U.S. Census, 1910; Centennial Reunion Committee, National Directory of Crested Butteans (Crested Butte: Centennial Reunion Committee, 1980), 65, 67; Myrtle and Michele Veltri, A Crested Butte Melting Pot (Crested Butte: Myrtle & Michele Veltri, 1986), 47; Crested Butte Oldtimers Meeting, 25 August 1998; Sandra Cortner Photographic Collection, Photograph of 226 Sopris, 1995.				
CONTINUED      YES      X      NO				
SURVEYED BY: R.L. Simmons/T.H. Simmons	AFFILIATION: Front Range Research Associates, Inc.	DATE: March 1999		

Public Health 2020, 12, 1046




The map displays a residential street layout with the following features:

- Streets:** Sopris Ave. runs horizontally across the top. 2nd St. runs vertically on the left. 3rd St. runs vertically on the right. White Rock Ave. runs horizontally across the bottom.
- Central Marker:** A large '33' is positioned in the center of the map.
- Shaded Lots:**
  - Horizontal Line Pattern:** Lots 512 (top left), 200 (top left, below 512), 218 (middle right), 226 (bottom right), and 503 (bottom right).
  - Diagonal Line Pattern:** Lots 209 (top left), 212 (top left), 215 (center), 225 (bottom right), and 509 (bottom right).
  - Solid Grey Pattern:** Lots 518 (top left), 209 (top left), 221 (bottom left), and 512 (bottom left).
- Other Labels:** Numbers 205, 206, 216, 225, and 503 are also present, some with small square markers.
- North Arrow:** Located in the bottom right corner, pointing towards the top right of the map.



# SURVEY SKETCH MAP









226 SOPRIS S 655

State ID Number: 5GN3255 SHF Grant No.: 98-01-113  
Address: 226 SOPRIS AVE  
City: Crested Butte County: Gunnison  
Photographer: Sandra Cortner  
Roll Number: 3 Frame Number: 15  
Camera Direction: S Date: May 1998  
Location of Negatives: Town of Crested Butte



HISTORIC BUILDING INVENTORY RECORD -- OUTBUILDING

NOT FOR FIELD USE		
<input type="checkbox"/> Eligible	<input type="checkbox"/> Nominated	
<input type="checkbox"/> Det. Not Eligible	<input type="checkbox"/> Certified Rehab.	
Date		708


PROJECT NAME: Crested Butte Historic Buildings Survey (SHF No. 98-01-113)		COUNTY: Gunnison	CITY: Crested Butte	STATE ID NO.: 5GN3254
		TEMPORARY NO.: 33021		
ADDRESS: 226 SOPRIS AVE Crested Butte, CO 81224		TOWNSHIP 14S RANGE 86W SECTION 3 SW QTR OF THE NE QTR		
ASSOCIATED State ID No.: PRIMARY BUILDING: Type of Building:		USGS QUAD. Crested Butte, Colo QUAD. YEAR: 1961		
DISTRICT NAME: Crested Butte		BLOCK: 33 LOT(S): E 62.5' OF W75' 1-5 ADDITION: Original Town YR. OF ADDITION: 1881		
DATE OF CONSTRUCTION: Estimate: 1890s Actual: Source: Sanborn Map, 1898		PHOTOGRAPHIC REFERENCES: 3-19, SW; 3-20, NW (Roll/Frame Camera Dir.)		
USE: Present: Shed Historic: Shed		PHOTOGRAPHER: Sandra Cortner		
		LOCATION OF NEGATIVES: Town of Crested Butte		
		ORIGINAL SITE X	MOVED	LOCAL LANDMARK DESIGNATION: No NAME: DATE:
ARCHITECTURAL DESCRIPTION: One-story, rectangular (12' X 18') frame shed with front gable roof and overhanging eaves; metal roofing. Walls clad with vertical board siding. On north are double hinged vertical board doors. Windows covered with plywood.		EXTENT OF ALTERATIONS: X Minor Moderate Major Describe: Windows covered with plywood; wall patched with horizontal boards on east.		
		STATEMENT OF SIGNIFICANCE: This shed is representative of the variety of outbuildings erected in Crested Butte. Representative features include the gable roof, frame construction, and vertical board siding.		
HISTORICAL BACKGROUND: This shed is associated with the residence at 226 Sopris which was the home of the Martin Verzuh family.		SIGNIFICANCE CATEGORIES:  Represents the work of a master Possesses high artistic values X Represents a type, period, or method of construction Associated with signif. persons Associated with signif. events or patterns X Contributes to an historic dist.		
		NATIONAL REGISTER ELIGIBILITY  INDIVIDUALLY ELIGIBLE: YES X NO  CONTRIBUTING TO DISTRICT: X YES NO		
SURVEYED BY: R.L. Simmons/T.H. Simmons		AFFILIATION: Front Range Research Associates, Inc.		DATE: March 1999

Sopris Ave.


3rd St.

2nd St.

White Rock Ave.





30 0 30 60 Feet



SURVEY SKETCH MAP





3/19 226 SOPRIS SW 708

State ID Number: 5GN3254 SHF Grant No.: 98-01-113  
Address: 226 SOPRIS AVE  
City: Crested Butte County: Gunnison  
Photographer: Sandra Cortner  
Roll Number: 3 Frame Number: 19  
Camera Direction: SW Date: May 1998  
Location of Negatives: Town of Crested Butte

3/20 226 SOPRIS NW 708

State ID Number: 5GN3254 SHF Grant No.: 98-01-113  
Address: 226 SOPRIS AVE  
City: Crested Butte County: Gunnison  
Photographer: Sandra Cortner  
Roll Number: 3 Frame Number: 20  
Camera Direction: NW Date: May 1998  
Location of Negatives: Town of Crested Butte



Todd and Denise Liebl  
226 Sopris Ave.  
Crested Butte, CO 81224

Kyleena Falzone  
PO Box 2471  
Crested Butte, CO 81224

Kyleena,


As we have discussed with you in prior texts, we are wanting to add on to the shed on our property (226 Sopris) so that we can convert the shed into an art studio for Denise. The addition to the shed would extend the shed's west wall to a maximum of 4.5' onto the existing 12' utility easement. That easement being the one set out in the Easement Agreement between us dated July 30, 2024 and recorded as document No. 697562 in Gunnison County.

In conversations with the Town about the addition to the shed, they would like for you to confirm that you have no objection too the addition as far as addition would be on the utility easement area.

The existing utilities serving your house located on the easement area are located west of the proposed addition so there would be no interference with those utility lines.

With your signature below you would be confirming that you have no objection to the shed addition as described.

We greatly appreciate your help.



12/16/2024

Kyleena Falzone



## **Liebl Shed**

### **Narrative:**

We propose to shift the existing shed to the east temporarily, install new foundations 5 ft north of the existing shed location, and shift the existing shed onto the new foundations with a small addition to the west side of the building. The existing shed is an unheated outbuilding with no power or plumbing. The shed in its new location will have an insulated envelope added to the interior and will have heating, plumbing, and electricity. It will be used as an art studio. See condition assessment report and relocation plan below.

### **Condition Assessment report:**

#### **Building Envelope:**

The existing shed requires new foundations. The structure of the roof and walls are in reasonably good condition. A new foundation, floor structure, and new bottom plates will be installed as part of the relocation. The existing framing will be assessed by a structural engineer and any reinforcement required will not be visible from the exterior.


#### **Mechanical systems:**

The existing shed has no electrical, plumbing or heating/ventilation systems.


#### **Building Components:**

The interior of the existing shed has horizontal planks covering the studs, it has exposed rafters, no insulation, and vertical board siding to the exterior that allows daylight through. As part of the relocation, a weathertight insulated envelope is proposed to be added to the interior, maintaining the visual character of the exterior.

Existing interior wall lining:



Existing exposed roof framing:



The existing building has two windows on the east elevation that were broken at some point and covered with corrugated metal. We propose these windows be replaced and the corrugated metal be removed.

Existing windows as seen from the interior:



Evidence of disease causing organisms:

There is no visible evidence of disease-causing organisms or hazardous materials.

Regulatory compliance:

The existing building is compliant with height and setbacks for its zoning, but alley parking would be improved if it was moved 5 ft. to the north.

**Relocation plan:**

The existing shed will be lifted onto steel "I" beams by a historic relocation company and slid approximately 15 ft. to the East on site while a new foundation is installed. If the floor framing is found not to be in adequate condition to lift the building by, beams to lift by will be attached to the wall framing with lag bolts. Once the new foundations are ready, the shed will be slid back west onto the new foundations.